



3MM THK UNITY IL (INTERLOCKING) CASSETTE PANELS

PPC FINISH ALUMINIUM - A2-S1,D0 CLASSIFICATION

PRE-COAT ALUMINIUM - A1 CLASSIFICATION

ANODISED ALUMINIUM - A1 CLASSIFICATION

PANELS FIXED TO CLAD-LINE T/L RAILS

3MM THK UNITY IL (INTERLOCKING) CASSETTE

CLAD-LINE 60x40 VERTICAL ALUMINIUM L RAIL

CLAD-LINE CL1 FRAMING SYSTEM. BRACKET WITH PRE-FITTED ISOLATION PAD

MINERAL WOOL THERMAL INSULATION. THICKNESS SUBJECT TO U VALUE REQUIREMENTS

BREATHER MEMBRANE

CALCIUM SILICATE SHEATHING BOARD

MINERAL WOOL THERMAL INSULATION. THICKNESS SUBJECT TO U VALUE REQUIREMENTS

INTERNAL FINISHES SHOWN INDICATIVE ONLY

Metalline Architectural Fabrications  
 Hollies Park Road,  
 Cannock,  
 Staffordshire,  
 WS11 1DB  
[www.metalline.co.uk](http://www.metalline.co.uk)  
 Tel: +44 (0) 1543 456930

- DO NOT SCALE**
1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
  2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE.
  3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
  4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
  5. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
  6. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
  7. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS.



| DRAWING TITLE                                   |          | -   | -  | -           | -    | -    |
|---|----------|-----|----|-------------|------|------|
| UNITY IL PANEL SYSTEM<br>INTERNAL CORNER DETAIL |          | -   | -  | -           | -    | -    |
| DATE  | SCALE    | -   | -  | -           | -    | -    |
| 2/1/24  | NTS      | -   | -  | -           | -    | -    |
| DRAWN   | CHECKED  | -   | -  | -           | -    | -    |
| CB  | DB       | -   | -  | -           | -    | -    |
| DRAWING No.                                     | REVISION | REV | BY | DESCRIPTION | DATE | CHKD |
| UA2-ILCL-T05                                    | -        | -   | -  | -           | -    | -    |