



3MM THK UNITY TF (THROUGH FIX) PANELS
 PPC FINISH ALUMINIUM - A2-S1,D0 CLASSIFICATION
 PRE-COAT ALUMINIUM - A1 CLASSIFICATION
 ANODISED ALUMINIUM - A1 CLASSIFICATION
 PANELS FIXED TO CLAD-LINE CL1 T/L RAILS

3MM THK UNITY TF (THROUGH FIX) PANEL

GLAZING BY OTHERS
 SHOWN INDICATIVE ONLY
 SEALED BACK TO STRUCTURE
 INDEPENDENT OF RAINDRAIN SYSTEM

MILL FINISH ALUMINIUM
 CILL FLASHING SUPPORT ANGLE

CILL FLASHING

CILL RETAINING PROFILE

ALUMINIUM BLIND RIVET

MINERAL WOOL THERMAL INSULATION.
 THICKNESS SUBJECT TO U VALUE
 REQUIREMENTS

CLAD-LINE CL1 FRAMING SYSTEM. BRACKET
 WITH PRE-FITTED ISOLATION PAD

SFS SHOWN INDICATIVE ONLY

CLAD-LINE 100X60 VERTICAL
 ALUMINIUM T RAIL

CALCIUM SILICATE SHEATHING
 BOARD

BREATHABLE MEMBRANE

Metalline Architectural Fabrications
 Hollies Park Road,
 Cannock,
 Staffordshire,
 WS11 1DB
www.metalline.co.uk
 Tel: +44 (0) 1543 456930

DO NOT SCALE

1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE
3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
5. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
6. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
7. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS



DRAWING TITLE		-	-	-	-	-
UNITY TF PANEL SYSTEM GLAZING CILL INTERFACE		-	-	-	-	-
DATE	SCALE	-	-	-	-	-
2/1/24	NTS	-	-	-	-	-
DRAWN	CHECKED	-	-	-	-	-
CB	DB	-	-	-	-	-
DRAWING No:	REVISION	REV	BY	DESCRIPTION	DATE	CHKD
UA2-TFCL-T06	-	-	-	-	-	-